

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A61K 7/48	A1	(11) International Publication Number: WO 98/00103 (43) International Publication Date: 8 January 1998 (08.01.98)
(21) International Application Number: PCT/EP97/02691 (22) International Filing Date: 16 May 1997 (16.05.97) (30) Priority Data: 60/020,744 28 June 1996 (28.06.96) US (71) Applicant (for AU BB CA GB GH IE IL KE LC LK LS MN MW NZ SD SG SZ TT UG only): UNILEVER PLC [GB/GB]; Unilever House, Blackfriars, London EC4P 4BQ (GB). (71) Applicant (for all designated States except AU BB CA GB GH IE IL KE LC LK LS MN MW NZ SD SG SZ TT UG): UNILEVER N.V. [NL/NL]; Weena 455, NL-3013 AL Rotterdam (NL). (72) Inventors: ZNAIDEN, Alexander, Paul; 110 Fox Road, Trumbull, CT 06611 (US). CROTTY, Brian, Andrew; 46 Damascus Road, Branford, CT 06405 (US). JOHNSON, Anthony, William; 211 Papermill Lane, Fairfield, CT 06430 (US). (74) Agent: ROTS, M., J., F.; Unilever plc, Patent Division, Colworth House, Sharnbrook, Bedford, MK44 1LQ (GB).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published With international search report.
(54) Title: VITAMIN C DELIVERY SYSTEM (57) Abstract A cosmetic composition is provided which includes ascorbic acid (Vitamin C) solubilized by a cross-linked non-emulsifying siloxane elastomer in a carrier medium of a volatile siloxane. Aesthetic properties are also improved by the presence of the cross-linked non-emulsifying siloxane elastomer.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

VITAMIN C DELIVERY SYSTEM5 BACKGROUND OF THE INVENTIONField of the Invention

10 The invention relates to a cosmetic product that can stably store ascorbic acid and then deliver same to the skin.

The Related Art

15 Ascorbic acid, also known by its common name of Vitamin C, has long been recognized as an active substance benefiting skin appearance. Vitamin C reportedly increases the production of collagen in human skin tissue. Wrinkles and
20 fine lines are thereby reduced. An overall healthier and younger-looking appearance results. Vitamin C has also found utility as an ultraviolet ray blocking or absorbing agent. Whitening or bleaching skin compositions have also employed Vitamin C utilizing its property of interference
25 with the melanin formation process. There also is a belief that ascorbic acid interacts with the human immune system to reduce sensitivity to skin aggravating chemicals. Reduced levels of Vitamin C concentration on the skin have also been implicated with an increase in
30 stress. From all of the foregoing perspectives, Vitamin C or ascorbic acid may provide significant benefit when topically applied.

35 Unfortunately, Vitamin C is a very unstable substance. Although it is readily soluble in water, rapid oxidation occurs in aqueous media. Solubility of ascorbic acid has

- 2 -

been reported to be relatively poor in nonaqueous media, thereby preventing an anhydrous system from achieving any significant level of active concentration.

5 The art has sought to overcome the problem in a variety of ways. One approach is the preparation of ascorbic acid derivatives. These derivatives have greater stability than the parent compound and, through biotransformation or chemical hydrolysis, can at the point of use be converted
10 to the parent acid. For instance, U.S. Patent 5,137,723 (Yamamoto et al) and U.S. Patent 5,078,989 (Ando et al) provide glycosylate and ester derivatives, respectively.

15 U.S. Patent 4,818,521 (Tamabuchi) describes under the background technology a so-called two-pack type cosmetic wherein Vitamin C powder and other ingredients are separately packaged in different containers with mixing just prior to use of the cosmetic. The mixing procedure and expensive packaging were said to be drawbacks of this
20 system. The patent suggests stable oil-in-water type emulsions that are weakly acidic and wherein ascorbic acid has been premixed with a stabilizing oil.

25 Maintenance of pH below about 3.5 has also been suggested in U.S. Patent 5,140,043 (Darr et al) as a stabilization means for aqueous compositions of ascorbic acid.

Water compatible alcohols such as propylene glycol, polypropylene glycol and glycerol have been suggested as
30 co-carriers alongside water to improve stability. An illustration of this approach can be found in U.S. Patent 4,983,382 (Wilmott and Znaiden). Therein a blend of water and water-miscible organic solvent are combined as a stabilizing system. At least about 40% of the
35 organic solvent must be ethanol while the remainder may be

selected from such alcohols as propylene glycol, glycerin, dipropylene glycol and polypropylene glycol.

5 Japanese Patent 44-22312 (Shionogi) describes the stabilization of Vitamin C in a mainly aqueous medium by a variety of glycols. These include polyethylene glycol, ethylene glycol, diethylene glycol and even ethanol. These formulations are intended for ingestion.

10 U.S. Patent 4,372,874 (Modrovich) has reported incorporation of relatively large amounts of ascorbic acid in a polar water-miscible organic solvent such as dimethyl sulfoxide. Levels of water are kept below 0.5% through addition of a particulate desiccant to the carrier.
15 Although highly polar systems such as dimethyl sulfoxide may be effective, this and related carriers are toxicologically questionable.

20 Accordingly, it is an object of the present invention to provide a delivery system for ascorbic acid in which the compound is miscible and hydrolytically and oxidatively storage stable.

25 Another object of the present invention is to provide a delivery system which assists the penetration of ascorbic acid into the human skin while avoiding irritation thereof.

30 Still another object of the present invention is to provide a system for delivering ascorbic acid that is aesthetically pleasing and imparts a soft and smooth skinfeel.

35 These and other objects of the present invention will become more readily apparent through the following summary, detailed discussion and Examples.

SUMMARY OF THE INVENTION

A cosmetic composition is provided that includes:

- 5 (i) from 0.001 to 50% of ascorbic acid;
- (ii) from 0.1 to 30% of a crosslinked non-emulsifying siloxane elastomer; and
- 10 (iii) from 10 to 80% of a volatile siloxane.

DETAILED DESCRIPTION OF THE INVENTION

- 15 Now it has been discovered that ascorbic acid can be stabilized against decomposition and also stably suspended in a system containing a crosslinked non-emulsifying siloxane elastomer and a volatile siloxane.
- 20 Ascorbic acid is available from several sources including Roche Chemicals. Amounts of this material may range from 0.001 to 50%, preferably from 0.1 to 10%, optimally from 1 to 10% by weight.
- 25 Crosslinked non-emulsifying siloxane elastomers of this invention will have an average number molecular weight in excess of 10,000, preferably in excess of 1,000,000 and optimally will range from 10,000 to 20 million. The term "non-emulsifying" defines a siloxane from which
- 30 polyoxyalkylene units are absent. Preferably the cross-linked non-emulsifying siloxane elastomer is formed from a divinyl monomer reacting with Si-H linkages of a siloxane backbone. Illustrative of the elastomer is a material with the CTFA name of Crosslinked Stearyl Methyl-Dimethyl
- 35 Siloxane Copolymer, available as Gransil SR-CYC (25-35% active elastomer) from Grant Industries, Inc., Elmwood

Park, New Jersey. Supply of related elastomer may also be available from the General Electric Company.

5 Amounts of the elastomer may range from 0.1 to 30%, preferably from 1 to 15%, optimally from 3 to 10% by weight.

10 A third essential element of the present invention is that of a volatile siloxane. Illustrative of this category are the cyclo polydimethyl siloxane fluids of the formula $[(CH_3)_2SiO]_x$, wherein x denotes an integer of from 3 to 6. The cyclic siloxanes will have a boiling point of less than 250°C and a viscosity at 25°C of less than 10 centipoise. Cyclomethicone is the common name of such
15 materials. The tetramer and pentamer cyclomethicones are commercially available as DC 244 and DC 344 from the Dow Corning Corporation.

20 Amounts of the volatile siloxane will range from 10 to 80%, preferably from 20 to 70%, optimally from 30 to 65% by weight.

25 Compositions of this invention may further include a pharmaceutically acceptable carrier. Generally the carrier will be an ingredient which can solubilize Vitamin C and all other elements of the composition. Amounts of the carrier may range from 1 to 70%, preferably from 10 to 60%, optimally from 20 to 50% by weight.

30 Pharmaceutically acceptable carriers may be selected from water, polyols, silicone fluids, esters and mixtures thereof. When present, water may range from 0.5 to 20%, preferably from 1 to 10%, usually from 2 to 6%, optimally less than 5% by weight of the composition.

35

Advantageously one or more polyols are present as carriers in the compositions of this invention. Illustrative are propylene glycol, dipropylene glycol, polypropylene glycol, polyethylene glycol, sorbitol, hydroxypropyl sorbitol, hexylene glycol, 1,3-butylene glycol, 1,2,6-hexanetriol, glycerin, ethoxylated glycerin, propoxylated glycerin and mixtures thereof. Most preferably the polyol is a mixture of polyethylene glycol, molecular weight ranging from 200 to 2,000, and propylene glycol.

Preferred weight ratios of polyethylene glycol to propylene glycol range from 5:1 to 1:10, preferably from 2:1 to 1:5, optimally 1:1 to 1:2. Amounts of the polyol may range from 1 to 50%, preferably from 10 to 40%, optimally from 25 to 35% by weight of the composition.

Silicone oils may also be included as carriers in the compositions of this invention. These oils will be nonvolatile. The nonvolatile silicone oils useful in the compositions of this invention are exemplified by the polyalkyl siloxanes, polyalkylaryl siloxanes and polyether siloxane copolymers. The essentially nonvolatile polyalkyl siloxanes useful herein include, for example, polydimethyl siloxanes with viscosities of from about 5 to about 100,000 centistokes at 25°C. Such polyalkyl siloxanes include the Viscasil series (sold by General Electric Company) and the Dow Corning 200 series (sold by Dow Corning Corporation). Polyalkylaryl siloxanes include poly(methylphenyl)siloxanes having viscosities of from about 15 to about 65 centistokes at 25°C. These are available, for example, as SF 1075 methylphenyl fluid (sold by General Electric Company) and 556 Cosmetic Grade Fluid (sold by Dow Corning Corporation). Useful polyether siloxane copolymers include, for example, a polyoxyalkylene ether copolymer having a viscosity of about 1200 to 1500 centistokes at 25°C. Such a fluid is available as SF-1066 organosilicone surfactant (sold by

General Electric Company). Cetyl dimethicone copolyol and cetyl dimethicone are especially preferred because these materials also function as emulsifiers and emollients. The former material is available from Goldschmidt AG under the trademark Abil EM-90. Amounts of the nonvolatile siloxane may range from 0.1 to 40%, preferably from 0.5 to 25% by weight of the composition.

Esters may also be incorporated into the cosmetic compositions as pharmaceutically acceptable carriers. Amounts may range from 0.1 to 50% by weight of the composition. Among the esters are:

(1) Alkyl esters of fatty acids having 10 to 20 carbon atoms. Methyl, isopropyl, and butyl esters of fatty acids are useful herein. Examples include hexyl laurate, isohexyl laurate, isohexyl palmitate, isopropyl palmitate, decyl oleate, isodecyl oleate, hexadecyl stearate, decyl stearate, isopropyl isostearate, diisopropyl adipate, diisohexyl adipate, dihexyldecyl adipate, diisopropyl sebacate, lauryl lactate, myristyl lactate, and cetyl lactate. Particularly preferred are C_{12} - C_{15} alcohol benzoate esters.

(2) Alkenyl esters of fatty acids having 10 to 20 carbon atoms. Examples thereof include oleyl myristate, oleyl stearate, and oleyl oleate.

(3) Ether-esters such as fatty acid esters of ethoxylated fatty alcohols.

(4) Polyhydric alcohol esters. Ethylene glycol mono and di-fatty acid esters, diethylene glycol mono- and di-fatty acid esters, polyethylene glycol (200-6000) mono- and di-fatty acid esters, propylene glycol

mono- and di-fatty acid esters, polypropylene glycol
2000 monooleate, polypropylene glycol 2000
monostearate, ethoxylated propylene glycol
monostearate, glyceryl mono- and di-fatty acid
5 esters, polyglycerol poly-fatty esters, ethoxylated
glyceryl monostearate, 1,3-butylene glycol
monostearate, 1,3-butylene glycol distearate,
polyoxyethylene polyol fatty acid ester, sorbitan
fatty acid esters, and polyoxyethylene sorbitan fatty
10 acid esters are satisfactory polyhydric alcohol
esters.

(5) Wax esters such as beeswax, spermaceti, myristyl
myristate, stearyl stearate.

15

(6) Sterols esters, of which cholesterol fatty acid
esters are examples thereof.

Minor adjunct ingredients may also be included in cosmetic
20 compositions of this invention. These ingredients may be
selected from preservatives, fragrances, anti-foam agents,
opacifiers, colorants and mixtures thereof, each in their
effective amounts to accomplish their respective
functions.

25

The following examples will more fully illustrate the
embodiments of this invention. All parts, percentages and
proportions referred to herein and in the appended claims
are by weight unless otherwise indicated.

30

EXAMPLE 1

The effect of a crosslinked non-emulsifying siloxane
35 elastomer was evaluated by comparing the experimental and
control formulations outlined under Table I.

TABLE I
Test Formulations

COMPONENT	Example No. (Weight %)	
	1	1A (CONTROL)
Cyclomethicone	36.0	60.0
Gransil SR CYL	24.0	--
Polyethylene Glycol 200	19.25	19.25
Dimethyl Isosorbide	10.0	10.0
Ascorbic Acid	5.0	5.0
Sodium Chloride	1.0	1.0
Cetyl Dimethicone Copolyol	0.8	0.8
Water	4.0	4.0

Formulation 1 was a homogeneous stable aesthetically pleasing emulsion of cream-like consistency. By contrast, formulation 1A did not form an emulsion.

EXAMPLES 2-5

A series of further examples were prepared. Their compositions are outlined under Table II. These formulations provide good storage stability for the ascorbic acid and are aesthetically consumer acceptable.

TABLE II

COMPONENT	Example No. (Weight %)			
	2	3	4	5
Cyclomethicone	42.0	41.6	40.0	42.0
Gransil SR CYL	18.0	17.9	17.3	18.0
Propylene Glycol	16.8	14.8	17.5	15.0
Polyethylene Glycol 200	11.0	13.7	13.5	13.5
Ascorbic Acid	5.0	5.0	5.0	5.0
Dimethyl Isosorbide	2.0	2.0	2.0	2.0
Cetyl Dimethicone Copolyol	0.8	0.8	0.8	0.8
Water	balance	balance	balance	balance

EXAMPLES 6-12

These series of Examples illustrate the scope of the present invention. Various concentrations of ascorbic acid, cyclomethicone and siloxane elastomer are illustrated.

TABLE III

COMPONENT	Example No. (Weight %)						
	6	7	8	9	10	11	12
Cyclomethi- cone	36.0	36.0	36.0	40.0	40.0	45.0	32.0
Gransil SR CYL	24.0	24.0	24.0	20.0	20.0	15.0	27.0
Butylene Glycol	17.5	--	17.5	--	--	--	29.0
Glycerin	--	17.5	--	--	--	--	--
Polyethylene Glycol 200	10.0	--	--	17.5	12.0	10.0	10.0
Polyethylene Glycol 800	--	10.0	10.0	10.0	12.0	10.0	--
Dimethyl Isosorbide	2.0	2.0	2.0	4.0	8.0	10.0	1.0
Ascorbic Acid	1.0	1.0	1.0	4.0	4.0	8.0	0.5
Cetyl Dimethicone Copolyol	0.8	0.8	0.8	0.8	0.8	--	--
Water	bal.	bal.	bal.	bal.	bal.	bal.	bal.

The foregoing description and Examples illustrates elected embodiments of the present invention. In light thereof variations and modifications will be suggested to one skilled in the art, all of which are within the spirit and purview of this invention.

CLAIMS

1. A cosmetic composition comprising:
5
(i) from 0.001 to 50% of ascorbic acid;
(ii) from 0.1 to 30% of a crosslinked non-
10 emulsifying siloxane elastomer; and
(iii) from 10 to 80% of a volatile siloxane.
2. The composition according to claim 1 wherein the
15 crosslinked non-emulsifying siloxane elastomer is
formed from a divinyl monomer reacting with the Si-H
linkages of a siloxane backbone.
3. The composition according to claim 1 or claim 2
wherein the volatile siloxane is cyclomethicone.

INTERNATIONAL SEARCH REPORT

International Application No
PCT/EP 97/02691

A. CLASSIFICATION OF SUBJECT MATTER IPC 6 A61K7/48		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) IPC 6 A61K		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practical, search terms used)		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	DATABASE WPI Section Ch, Week 9244 Derwent Publications Ltd., London, GB; Class A26, AN 92-360690 XP002041754 & JP 04 261 111 A (KANEBO LTD) , 17 September 1992 see abstract ---	1
A	FR 2 715 844 A (L'OREAL) 11 August 1995 see examples ---	1,3
A	EP 0 669 126 A (L'OREAL) 30 August 1995 see claims 1-5; examples ---	1,3
A	GB 1 161 289 A (HOFFMANN-LA ROCHE & CO.) 13 August 1969 * see the whole document * -----	1
<input type="checkbox"/> Further documents are listed in the continuation of box C. <input checked="" type="checkbox"/> Patent family members are listed in annex.		
* Special categories of cited documents : "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel, or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family		
Date of the actual completion of the international search 25 September 1997		Date of mailing of the international search report 13. 10. 97
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo rd, Fac (+31-70) 340-3016		Authorized officer McConnell, C

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 97/02691

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
FR 2715844 A	11-08-95	CA 2141765 A	05-08-95
		EP 0670157 A	06-09-95
		JP 7256086 A	09-10-95
		US 5552446 A	03-09-96
		US 5629004 A	13-05-97

EP 0669126 A	30-08-95	FR 2715563 A	04-08-95
		CA 2141373 A	01-08-95
		US 5605694 A	25-02-97

GB 1161289 A	13-08-69	BE 717214 A	27-12-68
		CH 509302 A	30-06-71
		DE 1300555 B	
		DE 1793234 A	25-05-72
		FR 1600826 A	03-08-70
		NL 6808139 A,B	31-12-68
		SE 354185 B	05-03-73
		US 3873713 A	25-03-75
